

SERIE: PL60X60-W-40K-120-40W-AC

CODE: YLD-031955




SIN PARPADEO
NO FLICKERING
NON CLIGNOTANT



CLASE 2
CLASS 2
CLASSE 2



CE APROBADO
CE APPROVED
CE APPROUVÉ



ROHS APROBADO
ROHS APPROVED
ROHS APPROUVÉ



ÍNDICE REPRODUCCIÓN CROMÁTICA
CHROMATIC REPRODUCTION INDEX
INDICE DE REPRODUCTION CHROMATIQUE

INFORMACIÓN BÁSICA/BASIC INFORMATION/INFORMATION DE BASE


INSTALACIÓN	INSTALLATION	INSTALLATION
Empotrado	Recessed	Encastré
MATERIAL	MATERIAL	MATÉRIEL
Aluminio	Aluminium	Aluminium
ACABADO	FINISH	FINITION
Blanco	White	Blanc
USO	USE	UTILISER
Interior	Indoor	À L'Intérieur
GARANTÍA	WARRANTY	GARANTIE
5 Años	5 Years	5 Ans

INFORMACIÓN TÉCNICA/TECHNICAL INFORMATION/INFORMATION TECHNIQUE

Datos lumínicos/Light data/Données lumineuses

Temperatura de color/Color temperature/Température de couleur	4000 K
Indice reproducción cromática/Color rendering index/Indice de rendu des couleurs	>80
Lúmenes/lumens	4300 lm
Eficiencia lumínica/Light efficiency/Efficacité lumineuse	110 lm/w
Óptica/Optics/Optique	Simétrica/Symmetrical/Symétrique
Ángulo de apertura/Beam angle/Angle d'ouverture	120°
Orientable/Adjustable/Ajustable	No/Not/Ne pas
Grados de orientación/Orientation degrees/Degrés d'orientation	-
Vida útil/Useful life/Durée de vie	50.000 h
UGR	<19
MacAdam	<3

Fotometría Polar/polar photometry/photométrie polaire





Datos eléctricos/Electrical data/Données électriques

Potencia/Power/Puissance	40W
Tensión/Voltage/Tension	220-240V AC
Frecuencia/Frequency/Fréquence	50-60 Hz
PF	>0,9
Control de regulación/Regulation control/Contrôle de régulation	OPCIONAL
Driver	LIFUD
LED	SMD2835
Clase de aislamiento/Insulation class/Classe d'isolation	II
Clasificación energética/Energy classification/Classement énergétique	B

Datos mecánicos/Mechanical data/Données mécaniques

Temperatura funcionamiento/Operating temperature/Température de fonctionnement	-20°C+45°C
Accesorios/Accessories/Accessoires	-
Dimensiones producto empotrable/Recessed dimensions/dimensions de produit encastrable	595*595*30mm

EMBALAJE/PACKAGING / EMBALLAGE

	CAJA/BOX/ BOÎTE	CARTON
MEDIDAS/SIZE/MEASURES	L690*W630*H40 mm	L665*W225*H700 mm
PESO/WEIGHT/POIDS	1,750 Kg	14,400 Kg
UNIDADES/UNITS/UNITÉS	1	5